



# ClearWay – economical LED performance

## ClearWay

LED technology represents a breakthrough in lighting in many different respects. The light quality provided by LEDs, for example, has made our roads safer, while the tremendous efficacy of LEDs is helping cities reduce their energy bills. At Philips, we believe we can make even more roads safer, and help more municipalities achieve their goal of reducing energy consumption. That's why we have developed ClearWay – a LED road luminaire that is affordable yet does not compromise on light quality and energy efficiency.

### Benefits

- Low initial investment
- Based on LEDGINE O
- Significant energy savings

### Features

- Dedicated design for LED technology
- Long lifetime
- Low energy consumption compared to conventional luminaires

### Application

- Major roads
- Residential roads and streets

### Specifications

<b>Type</b>	BGP303
<b>Light source</b>	Integral LED-module
<b>Power (+/-10%)</b>	13 to 87 W (depending on version)
<b>Luminous flux</b>	Nominal: 1800 to 12,000 lm (depending on the version) System: 1600 to 10,100 lm (depending on the version)

<b>Luminaire efficacy</b>	116 to 133 lm/W (depending on the version)
<b>Correlated Color</b>	4000 K
<b>Temperature</b>	(3000 K upon request)
<b>Color Rendering Index</b>	>70 >80 for 3000 K

<b>Useful life</b>	100,000 hours min L87B10 at 250C ambient temperature (depending on version)
<b>Operating temperature range</b>	-30 to +35 °C
<b>Driver</b>	Built-in (self-ballasted LED-module)
<b>Power/Data supply</b>	PSU, PSR, PSD
<b>Mains voltage</b>	220-240 V / 50-60 Hz
<b>Optic</b>	Distribution Narrow (DN10); Distribution Medium (DM11), Distribution Medium (DM50); Distribution Wide (DW10) Other optics upon request
<b>Optical cover</b>	Glass, flat

<b>Material</b>	Housing: high-pressure, die-cast aluminum
<b>Color</b>	Grey (RAL 7035)
<b>Maintenance</b>	Opening with screw
<b>Installation</b>	Side entry : Ø 42/60 or 76 Post top : Ø 42/60 or 76 Recommended mounting height: 4 to 12 m Standard tilt angle post top: 5° Adjustable tilt angle: Post top 42-60 and 76: 0, 5°, 10°, 15° Side entry 42-60: -15°, -10°, -5°, 0, 5°, 10°, 15° Adjustable light distribution: N/A Max SCx: 0,029 m <sup>2</sup>

## Versions

ClearWay BGP303 road-lighting luminaire



ClearWay BGP303 road-lighting luminaire



## Product details

LED module



Side entry version



Application Conditions	
Average ambient temperature	25 °C
Approval and Application	
Mech. impact protection code	IK08
General Information	
Color	Gray
Coating	-
Light source color	740 neutral white
Optical cover/lens type	Flat glass
Driver included	Yes
ENEC mark	ENEC mark
Gland material	Cable gland plastic
Glow-wire test	Temperature 960 °C, duration 5 s
Number of gear units	1 unit
Number of light sources	1 pc
Optic type	Distribution medium
Product Family Code	BGP303
Standard RAL color	Pale gray
Initial Performance (IEC Compliant)	
Init. Corr. Color Temperature	4000 K
Light Technical	
Standard tilt angle side entry	0°
Standard tilt angle posttop	0°
Over Time Performance (IEC Compliant)	
Driver failure rate at 5000 h	0.5 %

### Approval and Application

order code	Surge Protection (Common/Differential)
910925438640	Philips standard surge protection level
910925438641	Philips standard surge protection level
910925438650	Philips standard surge protection level
910925438658	Philips standard surge protection level
910925438673	Philips standard surge protection level
910925438675	Philips standard surge protection level
910925438678	Philips standard surge protection level
910925438680	Philips standard surge protection level
910925438681	Philips standard surge protection level
910925438688	Philips standard surge protection level
910925438689	Philips standard surge protection level
910925438690	Philips standard surge protection level
910925438701	Philips standard surge protection level
910925438703	Philips standard surge protection level
910925438704	Philips standard surge protection level
910925438791	Philips standard surge protection level
910925438792	Philips standard surge protection level
910925438799	Philips standard surge protection level
910925438801	Philips standard surge protection level
910925438802	Philips standard surge protection level
910925438810	Philips standard surge protection level
910925438821	Philips standard surge protection level
910925438822	Philips standard surge protection level
910925438825	Philips standard surge protection level
910925438827	Philips standard surge protection level
910925438830	Philips standard surge protection level
910925438832	Philips standard surge protection level
910925438833	Philips standard surge protection level
910925438835	Philips standard surge protection level
910925438840	Philips standard surge protection level
910925438841	Philips standard surge protection level
910925438842	Philips standard surge protection level
910925438843	Philips standard surge protection level
910925438852	Philips standard surge protection level
910925438853	Philips standard surge protection level
910925438854	Philips standard surge protection level
910925438855	Philips standard surge protection level
910925438869	Philips standard surge protection level
910925438870	Philips standard surge protection level
910925438873	Philips standard surge protection level
910925438874	Philips standard surge protection level
910925438878	Philips standard surge protection level
910925438879	Philips standard surge protection level
910925438880	Philips standard surge protection level
910925438887	Philips standard surge protection level
910925438898	Philips standard surge protection level
910925438899	Philips standard surge protection level
910925438902	Philips standard surge protection level
910925438903	Philips standard surge protection level
910925438904	Philips standard surge protection level
910925438905	Philips standard surge protection level

order code	Surge Protection (Common/Differential)
910925438908	Philips standard surge protection level
910925438910	Philips standard surge protection level
910925438911	Philips standard surge protection level
910925438913	Philips standard surge protection level
910925438918	Philips standard surge protection level
910925438919	Philips standard surge protection level
910925438920	Philips standard surge protection level
910925438930	Philips standard surge protection level
910925438932	Philips standard surge protection level
910925438933	Philips standard surge protection level
910925438947	Philips standard surge protection level
910925438948	Philips standard surge protection level
910925438955	Philips standard surge protection level
910925438956	Philips standard surge protection level
910925438957	Philips standard surge protection level
910925438958	Philips standard surge protection level
910925438965	Philips standard surge protection level
910925438972	-
910925438976	Philips standard surge protection level
910925438977	Philips standard surge protection level
910925438979	Philips standard surge protection level
910925438980	Philips standard surge protection level
910925438981	Philips standard surge protection level
910925438982	Philips standard surge protection level
910925438985	Philips standard surge protection level
910925438987	Philips standard surge protection level
910925438988	Philips standard surge protection level
910925438995	Philips standard surge protection level
910925438996	Philips standard surge protection level
910925438997	Philips standard surge protection level
910925439008	Philips standard surge protection level
910925439009	Philips standard surge protection level
910925439010	Philips standard surge protection level
910925439011	Philips standard surge protection level
910925438706	Philips standard surge protection level
910925438708	Philips standard surge protection level
910925438715	Philips standard surge protection level
910925438716	Philips standard surge protection level
910925438717	Philips standard surge protection level
910925438720	Philips standard surge protection level
910925438722	Philips standard surge protection level
910925438727	Philips standard surge protection level
910925438733	Philips standard surge protection level
910925438734	Philips standard surge protection level
910925438741	Philips standard surge protection level
910925438748	Philips standard surge protection level
910925438749	Philips standard surge protection level
910925438750	Philips standard surge protection level
910925438755	Philips standard surge protection level
910925438760	Philips standard surge protection level
910925438763	Philips standard surge protection level
910925438764	Philips standard surge protection level

order code	Surge Protection (Common/Differential)
910925438766	Philips standard surge protection level
910925438767	Philips standard surge protection level
910925438770	Philips standard surge protection level
910925438774	Philips standard surge protection level
910925439046	-
910925439047	-
910925439048	-
910925439049	-
910925439050	-
910925439051	-
910925439058	-
910925439059	-
910925439060	-
910925439061	-
910925439062	-
910925439063	-
910925439064	-
910925439065	-
910925439066	-
910925439067	-
910925439068	-
910925439069	-
910925452112	Philips standard surge protection level
910925452113	Philips standard surge protection level
910925452114	Philips standard surge protection level
910925452115	Philips standard surge protection level
910925452116	Philips standard surge protection level
910925452117	Philips standard surge protection level
910925452119	Philips standard surge protection level
910925452120	Philips standard surge protection level
910925452121	Philips standard surge protection level
910925452122	Philips standard surge protection level
910925452123	Philips standard surge protection level
910925452124	Philips standard surge protection level

**Controls and Dimming**

order code	Dimmable	order code	Dimmable
910925438640	Yes	910925438704	No
910925438641	Yes	910925438791	Yes
910925438650	Yes	910925438792	Yes
910925438658	Yes	910925438799	Yes
910925438673	Yes	910925438801	Yes
910925438675	Yes	910925438802	Yes
910925438678	Yes	910925438810	Yes
910925438680	Yes	910925438821	Yes
910925438681	Yes	910925438822	Yes
910925438688	No	910925438825	Yes
910925438689	No	910925438827	Yes
910925438690	No	910925438830	Yes
910925438701	No	910925438832	Yes
910925438703	No	910925438833	Yes

order code	Dimmable
910925438835	Yes
910925438840	No
910925438841	No
910925438842	No
910925438843	No
910925438852	No
910925438853	No
910925438854	No
910925438855	No
910925438869	Yes
910925438870	Yes
910925438873	Yes
910925438874	Yes
910925438878	Yes
910925438879	Yes
910925438880	Yes
910925438887	Yes
910925438898	Yes
910925438899	Yes
910925438902	Yes
910925438903	Yes
910925438904	Yes
910925438905	Yes
910925438908	Yes
910925438910	Yes
910925438911	Yes
910925438913	Yes
910925438918	No
910925438919	No
910925438920	No
910925438930	No
910925438932	No
910925438933	No
910925438947	Yes
910925438948	Yes
910925438955	Yes
910925438956	Yes
910925438957	Yes
910925438958	Yes
910925438965	Yes
910925438972	Yes
910925438976	Yes
910925438977	Yes
910925438979	Yes
910925438980	Yes
910925438981	Yes
910925438982	Yes
910925438985	Yes
910925438987	Yes
910925438988	Yes
910925438995	No
910925438996	No

order code	Dimmable
910925438997	No
910925439008	No
910925439009	No
910925439010	No
910925439011	No
910925438706	Yes
910925438708	Yes
910925438715	Yes
910925438716	Yes
910925438717	Yes
910925438720	Yes
910925438722	Yes
910925438727	Yes
910925438733	Yes
910925438734	Yes
910925438741	Yes
910925438748	Yes
910925438749	Yes
910925438750	Yes
910925438755	Yes
910925438760	Yes
910925438763	Yes
910925438764	Yes
910925438766	Yes
910925438767	Yes
910925438770	Yes
910925438774	Yes
910925439046	Yes
910925439047	Yes
910925439048	Yes
910925439049	Yes
910925439050	Yes
910925439051	Yes
910925439058	Yes
910925439059	Yes
910925439060	Yes
910925439061	Yes
910925439062	Yes
910925439063	Yes
910925439064	Yes
910925439065	Yes
910925439066	Yes
910925439067	Yes
910925439068	Yes
910925439069	Yes
910925452112	Yes
910925452113	Yes
910925452114	Yes
910925452115	Yes
910925452116	Yes
910925452117	Yes
910925452119	Yes

order code	Dimmable
910925452120	Yes
910925452121	Yes
910925452122	Yes

order code	Dimmable
910925452123	Yes
910925452124	Yes

General Information (1/2)

order code	Country		Flammability mark	Lamp	
	CE mark	version		Gear	family code
910925438640	CE mark	NO	For mounting on normally flammable surfaces	EBD	LED122
910925438641	CE mark	NO	For mounting on normally flammable surfaces	EBD	LED122
910925438650	CE mark	NO	For mounting on normally flammable surfaces	EBR	LED122
910925438658	CE mark	NO	For mounting on normally flammable surfaces	EBR	LED122
910925438673	CE mark	NO	For mounting on normally flammable surfaces	EBR	LED122
910925438675	CE mark	NO	For mounting on normally flammable surfaces	EBR	LED122
910925438678	CE mark	NO	For mounting on normally flammable surfaces	EBR	LED122
910925438680	CE mark	NO	For mounting on normally flammable surfaces	EBR	LED122
910925438681	CE mark	NO	For mounting on normally flammable surfaces	EBR	LED122
910925438688	CE mark	NO	For mounting on normally flammable surfaces	EBP	LED122
910925438689	CE mark	NO	For mounting on normally flammable surfaces	EBP	LED122
910925438690	CE mark	NO	For mounting on normally flammable surfaces	EBP	LED122
910925438701	CE mark	NO	For mounting on normally flammable surfaces	EBP	LED122
910925438703	CE mark	NO	For mounting on normally flammable surfaces	EBP	LED122
910925438704	CE mark	NO	For mounting on normally flammable surfaces	EBP	LED122
910925438791	CE mark	NO	For mounting on normally flammable surfaces	EBD	LED49
910925438792	CE mark	NO	For mounting on normally flammable surfaces	EBD	LED49
910925438799	CE mark	NO	For mounting on normally flammable surfaces	EBR	LED49
910925438801	CE mark	NO	For mounting on normally flammable surfaces	EBR	LED49
910925438802	CE mark	NO	For mounting on normally flammable surfaces	EBR	LED49
910925438810	CE mark	NO	For mounting on normally flammable surfaces	EBR	LED49
910925438821	CE mark	NO	For mounting on normally flammable surfaces	EBD	LED49

order code	Country		Flammability mark	Lamp	
	CE mark	version		Gear	family code
910925438822	CE mark	NO	For mounting on normally flammable surfaces	EBD	LED49
910925438825	CE mark	NO	For mounting on normally flammable surfaces	EBR	LED49
910925438827	CE mark	NO	For mounting on normally flammable surfaces	EBR	LED49
910925438830	CE mark	NO	For mounting on normally flammable surfaces	EBR	LED49
910925438832	CE mark	NO	For mounting on normally flammable surfaces	EBR	LED49
910925438833	CE mark	NO	For mounting on normally flammable surfaces	EBR	LED49
910925438835	CE mark	NO	For mounting on normally flammable surfaces	EBR	LED49
910925438840	CE mark	NO	For mounting on normally flammable surfaces	EBP	LED49
910925438841	CE mark	NO	For mounting on normally flammable surfaces	EBP	LED49
910925438842	CE mark	NO	For mounting on normally flammable surfaces	EBP	LED49
910925438843	CE mark	NO	For mounting on normally flammable surfaces	EBP	LED49
910925438852	CE mark	NO	For mounting on normally flammable surfaces	EBP	LED49
910925438853	CE mark	NO	For mounting on normally flammable surfaces	EBP	LED49
910925438854	CE mark	NO	For mounting on normally flammable surfaces	EBP	LED49
910925438855	CE mark	NO	For mounting on normally flammable surfaces	EBP	LED49
910925438869	CE mark	NO	For mounting on normally flammable surfaces	EBD	LED73
910925438870	CE mark	NO	For mounting on normally flammable surfaces	EBD	LED73
910925438873	CE mark	NO	For mounting on normally flammable surfaces	EBD	LED73
910925438874	CE mark	NO	For mounting on normally flammable surfaces	EBD	LED73
910925438875	CE mark	NO	For mounting on normally flammable surfaces	EBR	LED73
910925438877	CE mark	NO	For mounting on normally flammable surfaces	EBR	LED73
910925438879	CE mark	NO	For mounting on normally flammable surfaces	EBR	LED73
910925438880	CE mark	NO	For mounting on normally flammable surfaces	EBR	LED73

order code	Country		Flammability mark	Lamp	
	CE mark	version		Gear	family code
910925438887	CE mark	NO	For mounting on normally flammable surfaces	EBR	LED73
910925438898	CE mark	NO	For mounting on normally flammable surfaces	EBD	LED73
910925438899	CE mark	NO	For mounting on normally flammable surfaces	EBD	LED73
910925438902	CE mark	NO	For mounting on normally flammable surfaces	EBD	LED73
910925438903	CE mark	NO	For mounting on normally flammable surfaces	EBR	LED73
910925438904	CE mark	NO	For mounting on normally flammable surfaces	EBR	LED73
910925438905	CE mark	NO	For mounting on normally flammable surfaces	EBR	LED73
910925438908	CE mark	NO	For mounting on normally flammable surfaces	EBR	LED73
910925438910	CE mark	NO	For mounting on normally flammable surfaces	EBR	LED73
910925438911	CE mark	NO	For mounting on normally flammable surfaces	EBR	LED73
910925438913	CE mark	NO	For mounting on normally flammable surfaces	EBR	LED73
910925438918	CE mark	NO	For mounting on normally flammable surfaces	EBP	LED73
910925438919	CE mark	NO	For mounting on normally flammable surfaces	EBP	LED73
910925438920	CE mark	NO	For mounting on normally flammable surfaces	EBP	LED73
910925438930	CE mark	NO	For mounting on normally flammable surfaces	EBP	LED73
910925438932	CE mark	NO	For mounting on normally flammable surfaces	EBP	LED73
910925438933	CE mark	NO	For mounting on normally flammable surfaces	EBP	LED73
910925438947	CE mark	NO	For mounting on normally flammable surfaces	EBD	LED98
910925438948	CE mark	NO	For mounting on normally flammable surfaces	EBD	LED98
910925438955	CE mark	NO	For mounting on normally flammable surfaces	EBR	LED98
910925438956	CE mark	NO	For mounting on normally flammable surfaces	EBR	LED98
910925438957	CE mark	NO	For mounting on normally flammable surfaces	EBR	LED98
910925438958	CE mark	NO	For mounting on normally flammable surfaces	EBR	LED98
910925438965	CE mark	NO	For mounting on normally flammable surfaces	EBR	LED98
910925438972	CE mark	NO	For mounting on normally flammable surfaces	EBD	LED98

order code	Country		Flammability mark	Lamp	
	CE mark	version		Gear	family code
910925438976	CE mark	NO	For mounting on normally flammable surfaces	EBD	LED98
910925438977	CE mark	NO	For mounting on normally flammable surfaces	EBD	LED98
910925438979	CE mark	NO	For mounting on normally flammable surfaces	EBD	LED98
910925438980	CE mark	NO	For mounting on normally flammable surfaces	EBR	LED98
910925438981	CE mark	NO	For mounting on normally flammable surfaces	EBR	LED98
910925438982	CE mark	NO	For mounting on normally flammable surfaces	EBR	LED98
910925438985	CE mark	NO	For mounting on normally flammable surfaces	EBR	LED98
910925438987	CE mark	NO	For mounting on normally flammable surfaces	EBR	LED98
910925438988	CE mark	NO	For mounting on normally flammable surfaces	EBR	LED98
910925438995	CE mark	NO	For mounting on normally flammable surfaces	EBP	LED98
910925438996	CE mark	NO	For mounting on normally flammable surfaces	EBP	LED98
910925438997	CE mark	NO	For mounting on normally flammable surfaces	EBP	LED98
910925439008	CE mark	NO	For mounting on normally flammable surfaces	EBP	LED98
910925439009	CE mark	NO	For mounting on normally flammable surfaces	EBP	LED98
910925439010	CE mark	NO	For mounting on normally flammable surfaces	EBP	LED98
910925439011	CE mark	NO	For mounting on normally flammable surfaces	EBP	LED98
910925438706	CE mark	NO	For mounting on normally flammable surfaces	EBP	LED18
910925438708	CE mark	NO	For mounting on normally flammable surfaces	EBP	LED18
910925438715	CE mark	NO	For mounting on normally flammable surfaces	EBP	LED23
910925438716	CE mark	NO	For mounting on normally flammable surfaces	EBP	LED23
910925438717	CE mark	NO	For mounting on normally flammable surfaces	EBP	LED23
910925438720	CE mark	NO	For mounting on normally flammable surfaces	EBR	LED23
910925438722	CE mark	NO	For mounting on normally flammable surfaces	EBR	LED23
910925438727	CE mark	NO	For mounting on normally flammable surfaces	EBP	LED23
910925438733	CE mark	NO	For mounting on normally flammable surfaces	EBP	LED23

order code	Country		Flammability mark	Lamp	
	CE mark	version		Gear	family code
910925438734	CE mark	NO	For mounting on normally flammable surfaces	EBP	LED23
910925438741	CE mark	NO	For mounting on normally flammable surfaces	EBR	LED23
910925438748	CE mark	NO	For mounting on normally flammable surfaces	EBP	LED35
910925438749	CE mark	NO	For mounting on normally flammable surfaces	EBP	LED35
910925438750	CE mark	NO	For mounting on normally flammable surfaces	EBP	LED35
910925438755	CE mark	NO	For mounting on normally flammable surfaces	EBR	LED35
910925438760	CE mark	NO	For mounting on normally flammable surfaces	EBP	LED35
910925438763	CE mark	NO	For mounting on normally flammable surfaces	EBP	LED35
910925438764	CE mark	NO	For mounting on normally flammable surfaces	EBP	LED35
910925438766	CE mark	NO	For mounting on normally flammable surfaces	EBP	LED35
910925438767	CE mark	NO	For mounting on normally flammable surfaces	EBP	LED35
910925438770	CE mark	NO	For mounting on normally flammable surfaces	EBR	LED35
910925438774	CE mark	NO	For mounting on normally flammable surfaces	EBR	LED35
910925439046	CE mark	-	For mounting on normally flammable surfaces	EBP	LED18
910925439047	CE mark	-	For mounting on normally flammable surfaces	EBP	LED18
910925439048	CE mark	-	For mounting on normally flammable surfaces	EBP	LED23
910925439049	CE mark	NO	For mounting on normally flammable surfaces	EBP	LED23
910925439050	CE mark	NO	For mounting on normally flammable surfaces	EBP	LED35
910925439051	CE mark	NO	For mounting on normally flammable surfaces	EBP	LED35
910925439058	CE mark	NO	For mounting on normally flammable surfaces	EBR	LED18
910925439059	CE mark	NO	For mounting on normally flammable surfaces	EBR	LED18

order code	Country		Flammability mark	Lamp	
	CE mark	version		Gear	family code
910925439060	CE mark	-	For mounting on normally flammable surfaces	EBR	LED18
910925439061	CE mark	-	For mounting on normally flammable surfaces	EBR	LED18
910925439062	CE mark	NO	For mounting on normally flammable surfaces	EBR	LED23
910925439063	CE mark	NO	For mounting on normally flammable surfaces	EBR	LED23
910925439064	CE mark	NO	For mounting on normally flammable surfaces	EBR	LED23
910925439065	CE mark	-	For mounting on normally flammable surfaces	EBR	LED23
910925439066	CE mark	NO	For mounting on normally flammable surfaces	EBR	LED35
910925439067	CE mark	NO	For mounting on normally flammable surfaces	EBR	LED35
910925439068	CE mark	-	For mounting on normally flammable surfaces	EBR	LED35
910925439069	CE mark	-	For mounting on normally flammable surfaces	EBR	LED35
910925452112	-	NO	-	EBD	LED18
910925452113	-	NO	-	EBD	LED25
910925452114	-	NO	-	EBD	LED35
910925452115	-	NO	-	EBD	LED module 5400 lm
910925452116	-	NO	-	EBD	LED module 6900 lm
910925452117	-	NO	-	EBD	LED99
910925452119	-	NO	-	EBD	LED18
910925452120	-	NO	-	EBD	LED25
910925452121	-	NO	-	EBD	LED35
910925452122	-	NO	-	EBD	LED module 5400 lm
910925452123	-	NO	-	EBD	LED module 6900 lm
910925452124	-	NO	-	EBD	LED99

General Information (2/2)

order code	Light source replaceable	Lamp version
910925438640	No	3S
910925438641	No	3S
910925438650	No	3S
910925438658	No	3S
910925438673	No	3S

order code	Light source replaceable	Lamp version
910925438675	No	3S
910925438678	No	3S
910925438680	No	3S
910925438681	No	3S
910925438688	No	3S

order code	Light source replaceable	Lamp version
910925438689	No	3S
910925438690	No	3S
910925438701	No	3S
910925438703	No	3S
910925438704	No	3S
910925438791	No	3S
910925438792	No	3S
910925438799	No	3S
910925438801	No	3S
910925438802	No	3S
910925438810	No	3S
910925438821	No	3S
910925438822	No	3S
910925438825	No	3S
910925438827	No	3S
910925438830	No	3S
910925438832	No	3S
910925438833	No	3S
910925438835	No	3S
910925438840	No	3S
910925438841	No	3S
910925438842	No	3S
910925438843	No	3S
910925438852	No	3S
910925438853	No	3S
910925438854	No	3S
910925438855	No	3S
910925438869	No	3S
910925438870	No	3S
910925438873	No	3S
910925438874	No	3S
910925438878	No	3S
910925438879	No	3S
910925438880	No	3S
910925438887	No	3S
910925438898	No	3S
910925438899	No	3S
910925438902	No	3S
910925438903	No	3S
910925438904	No	3S
910925438905	No	3S
910925438908	No	3S
910925438910	No	3S
910925438911	No	3S
910925438913	No	3S
910925438918	No	3S
910925438919	No	3S
910925438920	No	3S
910925438930	No	3S
910925438932	No	3S
910925438933	No	3S
910925438947	No	3S

order code	Light source replaceable	Lamp version
910925438948	No	3S
910925438955	No	3S
910925438956	No	3S
910925438957	No	3S
910925438958	No	3S
910925438965	No	3S
910925438972	No	3S
910925438976	No	3S
910925438977	No	3S
910925438979	No	3S
910925438980	No	3S
910925438981	No	3S
910925438982	No	3S
910925438985	No	3S
910925438987	No	3S
910925438988	No	3S
910925438995	No	3S
910925438996	No	3S
910925438997	No	3S
910925439008	No	3S
910925439009	No	3S
910925439010	No	3S
910925439011	No	3S
910925438706	No	3S
910925438708	No	3S
910925438715	No	3S
910925438716	No	3S
910925438717	No	3S
910925438720	No	3S
910925438722	No	3S
910925438727	No	3S
910925438733	No	3S
910925438734	No	3S
910925438741	No	3S
910925438748	No	3S
910925438749	No	3S
910925438750	No	3S
910925438755	No	3S
910925438760	No	3S
910925438763	No	3S
910925438764	No	3S
910925438766	No	3S
910925438767	No	3S
910925438770	No	3S
910925438774	No	3S
910925439046	No	3S
910925439047	No	3S
910925439048	No	3S
910925439049	No	3S
910925439050	No	3S
910925439051	No	3S
910925439058	No	3S

order code	Light source replaceable	Lamp version
910925439059	No	3S
910925439060	No	3S
910925439061	No	3S
910925439062	No	3S
910925439063	No	3S
910925439064	No	3S
910925439065	-	3S
910925439066	No	3S
910925439067	No	3S
910925439068	No	3S
910925439069	No	3S
910925452112	No	4S

order code	Light source replaceable	Lamp version
910925452113	No	4S
910925452114	No	4S
910925452115	No	4S
910925452116	No	4S
910925452117	No	4S
910925452119	No	4S
910925452120	No	4S
910925452121	No	4S
910925452122	No	4S
910925452123	No	4S
910925452124	No	4S

**Initial Performance (IEC Compliant)**

order code	Initial luminous flux
910925438640	10237 lm
910925438641	10237 lm
910925438650	10237 lm
910925438658	10237 lm
910925438673	10237 lm
910925438675	10237 lm
910925438678	10237 lm
910925438680	10237 lm
910925438681	10237 lm
910925438688	10237 lm
910925438689	10237 lm
910925438690	10237 lm
910925438701	10237 lm
910925438703	10237 lm
910925438704	10237 lm
910925438791	4328 lm
910925438792	4328 lm
910925438799	4328 lm
910925438801	4328 lm
910925438802	4328 lm
910925438810	4328 lm
910925438821	4328 lm
910925438822	4328 lm
910925438825	4328 lm
910925438827	4328 lm
910925438830	4328 lm
910925438832	4328 lm
910925438833	4328 lm
910925438835	4328 lm
910925438840	4328 lm
910925438841	4328 lm
910925438842	4328 lm
910925438843	4328 lm
910925438852	4328 lm
910925438853	4328 lm
910925438854	4328 lm

order code	Initial luminous flux
910925438855	4328 lm
910925438869	6378 lm
910925438870	6378 lm
910925438873	6378 lm
910925438874	6378 lm
910925438878	6378 lm
910925438879	6378 lm
910925438880	6378 lm
910925438887	6378 lm
910925438898	6378 lm
910925438899	6378 lm
910925438902	6378 lm
910925438903	6378 lm
910925438904	6378 lm
910925438905	6378 lm
910925438908	6378 lm
910925438910	6378 lm
910925438911	6378 lm
910925438913	6378 lm
910925438918	6378 lm
910925438919	6378 lm
910925438920	6378 lm
910925438930	6378 lm
910925438932	6378 lm
910925438933	6378 lm
910925438947	8342 lm
910925438948	8342 lm
910925438955	8342 lm
910925438956	8342 lm
910925438957	8342 lm
910925438958	8342 lm
910925438965	8342 lm
910925438972	8342 lm
910925438976	8342 lm
910925438977	8342 lm
910925438979	8342 lm

order code	Initial luminous flux
910925438980	8342 lm
910925438981	8342 lm
910925438982	8342 lm
910925438985	8342 lm
910925438987	8342 lm
910925438988	8342 lm
910925438995	8342 lm
910925438996	8342 lm
910925438997	8342 lm
910925439008	8342 lm
910925439009	8342 lm
910925439010	8342 lm
910925439011	8342 lm
910925438706	1598 lm
910925438708	1598 lm
910925438715	2036 lm
910925438716	2036 lm
910925438717	2036 lm
910925438720	2036 lm
910925438722	2036 lm
910925438727	2036 lm
910925438733	2036 lm
910925438734	2036 lm
910925438741	2036 lm
910925438748	3074 lm
910925438749	3074 lm
910925438750	3074 lm
910925438755	3074 lm
910925438760	3074 lm
910925438763	3074 lm
910925438764	3074 lm
910925438766	3074 lm
910925438767	3074 lm

order code	Initial luminous flux
910925438770	3074 lm
910925438774	3074 lm
910925439046	1598 lm
910925439047	1598 lm
910925439048	2036 lm
910925439049	2036 lm
910925439050	3074 lm
910925439051	3074 lm
910925439058	1598 lm
910925439059	1598 lm
910925439060	1598 lm
910925439061	1598 lm
910925439062	2036 lm
910925439063	2036 lm
910925439064	2036 lm
910925439065	2036 lm
910925439066	3074 lm
910925439067	3074 lm
910925439068	3074 lm
910925439069	3074 lm
910925452112	1666 lm
910925452113	2268 lm
910925452114	3192 lm
910925452115	4920 lm
910925452116	6192 lm
910925452117	8832 lm
910925452119	1666 lm
910925452120	2268 lm
910925452121	3192 lm
910925452122	4920 lm
910925452123	6192 lm
910925452124	8832 lm

